

COMMONWEALTH OF VIRGINIA



Medicaid Enterprise System (MES) MMIS Companion Guide

Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010X212

January 31, 2022
Document Version 1.2

Department of Medical Assistance Services (DMAS)



Preface

This Companion Guide to the v5010 ASC X12N Implementation Guides -Technical Report Type 3 (TR3) and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging electronically with the Medicaid providers, Billing Agents, Vendors and other Clearinghouses.

Transmissions based on this Companion Guide, used in tandem with the v5010 ASC X12N Implementation Guides (TR3), are compliant with both ASC X12N syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the ASC X12N Implementation Guides (TR3) adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the Implementation Guides (TR3).



Table of Contents

Preface.....	2
Table of Contents.....	3
1.0 Introduction	5
1.1 Scope	5
1.2 Overview	6
1.3 References.....	6
1.4 Additional Information.....	6
2.0 Getting Started	7
2.1 Working with Virginia Medicaid.....	7
2.2 Trading Partner Registration	7
2.3 Certification and Testing Overview.....	8
3.0 Testing with the Virginia MMIS.....	9
3.1 Trading Partner Testing Procedures	9
4.0 Connectivity with the Virginia MMIS/ Communications	10
4.1 Process Flows	10
4.2 Transmission Administrative Procedures	11
4.3 Re-Transmission Procedure.....	12
4.4 Communication Protocol Specifications	13
4.5 Passwords.....	15
5.0 Contact Information.....	16
5.1 EDI Customer Service.....	16
5.2 EDI Technical Assistance.....	16
5.3 Provider Service Number	16
5.4 Applicable Websites/E-mails	17
6.0 Control Segments/ Envelopes.....	18
6.1 Virginia Medicaid Specific Data.....	18
6.2 ISA-IEA.....	19
6.3 GS-GE.....	20



6.4	ST-SE.....	20
7.0	Virginia Medicaid Specific Business Rules and Limitations	21
8.0	Acknowledgements and/ or Reports	23
8.1	Interchange Level Errors and TA1 Report.....	24
8.2	Transaction Set Level Syntax Results and ASC X12N 999 Functional Acknowledgement.....	25
8.3	Acknowledgment Report	26
8.4	CED and CER Reports.....	27
9.0	Trading Partner Agreements.....	28
9.1	Trading Partners.....	28
10.0	Transaction Specific Information – ASC 005010X212	29
10.1	276 Claim Status Request – Data Clarifications	30
10.2	277 Claim Status Response – Data Clarifications	33
11.0	Appendices	35
11.1	Change Summary	35

1.0 Introduction

This Companion Guide is intended for trading partner use in conjunction with the ASC X12N National Implementation Guide. The ASC X12N Implementation Guides can be accessed at <http://store.x12.org/store>.

This Companion Guide outlines the procedures necessary for engaging in Electronic Data Interchange (EDI) with Virginia Medicaid and specifies data clarification where applicable. [Section 10 Transaction Specific Information](#) contains provider data clarifications for fields and values that have changed.

Transaction specific data will be detailed using a table with the following information included:

- Page corresponding page number in the ASC X12N Implementation Guide for this transaction
- Loop
- Segment
- Data Element
- Comments

1.1 Scope

This Companion Guide is intended for use by Virginia Medicaid Trading Partners for the submission of the ASC X12N 276/277 transactions to Conduent. This document is to be used in conjunction with the 276/277 Implementation Guide and TR3. Conduent is the Fiscal Agent for Virginia Department of Medical Assistance Services (DMAS). Conduent will accept and process X12N transactions on behalf of Virginia Medicaid.

Conduent provides connectivity for the flow of medical information and data between medical providers, facilities, vendors, claim payment agencies, clearinghouses and the Virginia Medicaid Management Information System (MMIS). Beyond the receipt and delivery of this data, Virginia MMIS provides translation to and from ASC X12N standard formats.

The 276 Claim Status Inquiry transaction data will be submitted for processing and validation of the ASC X12N format(s). Please refer to [Section 4 Connectivity with the Virginia MMIS](#) for more information regarding transmission methods.

1.2 Overview

This Companion Guide is divided into ten sections. Each section will describe the process or requirement that each Trading Partner must complete in order to submit X12N transactions to and receive responses from Virginia Medicaid.

Each section will provide the needed information for how Trading Partners will be required to complete successful transmissions to the Virginia MMIS.

This Companion Guide will provide contact information for obtaining assistance from the Virginia MMIS along with data clarifications, including Virginia Medicaid specific data requirements.

1.3 References

This document serves as a companion to the Accredited Standards Committee (ASC) X12N Implementation Guides as adopted under HIPAA.

The HIPAA Implementation Guides can be accessed at <http://store.x12.org/store>.

Additional information on the Final Rule for Standards for Electronic Transactions can be found at <http://aspe.hhs.gov/admsimp/final/txfin00.htm>.

1.4 Additional Information

For more information on Virginia Medicaid EDI services for providers, including provider enrollment and claim transaction information, please visit:

<https://www.virginiamedicaid.dmas.virginia.gov/>



2.0 Getting Started

2.1 Working with Virginia Medicaid

All entities that send electronic transactions to Virginia Medicaid for processing, as well as retrieve reports and responses, must complete an enrollment package. This package provides Virginia Medicaid with necessary information to assign a Trading Partner ID, which is required to send and retrieve electronic transactions.

2.2 Trading Partner Registration

All entities that send electronic transactions to Virginia Medicaid for processing and retrieve reports and responses must enroll as EDI Trading Partners. . For initial enrollment as a Trading partner, complete the Electronic Trading Partner Agreement online. The initial EDI online enrollment can be accessed from this web page: <https://vamedicaid.dmas.virginia.gov/form/edi-enrollment>. After completing the enrollment, you will receive your credentials along with a unique Service Center or Trading Partner ID assigned by Virginia Medicaid via email from no-reply@va.healthinteractive.net. The Trading Partner ID is required to send or retrieve electronic transactions. The Virginia EDI test coordinator at Conduent will reach out with testing instructions after the Trading Partner Agreement is signed and approved.

The MES EDI web portal allows Service Centers or Trading Partners to:

- Enroll to submit healthcare transactions electronically
- Authorize trading partners or service centers to retrieve and/or modify electronic X12 transactions
- Self-service for password updates

Use the following link to access the MES EDI Portal FAQs:

<https://login.vamedicaid.dmas.virginia.gov/SecureSS/faqLoginPage>

The EDI Department can be contacted by email at Virginia.EDISupport@Conduent.com, by phone at 1-866-352-0766, or by fax at 1-888-335-8460 for confirmation of receipt.



2.3 Certification and Testing Overview

Virginia Medicaid requires all entities (providers, clearing houses and vendors) that submit X12 transactions to Conduent to test and meet requirements through Level 2. Once they have met this requirement, any of these entities can submit transactions.

Completion of the testing process is required prior to electronic submission of production data to Virginia Medicaid. Assistance from the EDI Coordinator is available throughout this process. Each test transmission is inspected thoroughly to ensure no format errors are present.

Virginia Medicaid only tests with Trading Partners. Once a Trading Partner is approved and in production for a transaction, they can send that transaction for any provider number that is registered to them.

3.0 Testing with the Virginia MMIS

Testing is conducted to verify the integrity of the format, not the integrity of the data; however, in order to simulate a production environment, we request that you send real transaction data. The number of test transmissions required depends on the number of format errors on a transmission and the relative severity of these errors. Also, changes to the X12N formats may require additional testing.

3.1 Trading Partner Testing Procedures


1. The Trading Partner contacts the Conduent EDI Coordinator to arrange a testing schedule.
2. The Trading Partner executes test cases and sends the data to the EDI Department.
3. The EDI Coordinator evaluates the flow of test data.
4. If testing is completed successfully, the EDI Coordinator contacts the Trading Partner and the Trading Partner is approved for placement into the production environment.
5. If testing is unsuccessful, the EDI Coordinator will contact the Trading Partner. The Trading Partner will remain in the testing environment until testing is completed successfully.

4.0 Connectivity with the Virginia MMIS/ Communications

This section describes the process to submit HIPAA 276 transactions.

4.1 Process Flows

Trading Partner Set Up Process and Electronic Transaction Submission Process diagrams.





4.2 Transmission Administrative Procedures

Authentication

Virginia Medicaid Electronic Data Interchange is available only to authorized Trading Partners. Submitters must be a Virginia Trading Partner and have a Trading Partner Agreement on file with Virginia Medicaid EDI Department. A submitter is authenticated using a User Name and Password assigned by the Virginia Medicaid EDI Department.

After a submitter account has been created by the Virginia Medicaid EDI department, the User Name will be sent to the registered contact via e-mail. The e-mail will contain a link that will present a Web page that prompts for User Name; after entering the User Name, additional instructions will be provided.

Passwords will be sent to the registered contact via separate e-mail; Virginia Medicaid personnel are not able to view your password. New users will receive an e-mail with instructions for creating a password for their account.

Passwords will expire every ninety days. A courtesy e-mail will be sent to the registered contact as a reminder to change the password; this reminder will be sent out five days before the actual expiration.

A registered contact may request a password reset using the “Request a password change” link on the home screen of the web site.

If an account becomes locked, the registered contact will need to contact the Conduent Helpdesk at 1-866-352-0766 for further assistance.

Scheduled Maintenance Window

Virginia Medicaid’s standard scheduled maintenance window for electronic data submission occurs daily from 11:00 a.m. – 2:00 a.m. ET and Sunday from 4:00 p.m. to 7:00 p.m.

We advise our trading partners/providers regarding any other outages via email notifications and/or Web portal banner messages. Non-routine downtimes will be published on the Provider Web Portal a week in advance and trading partners will be notified via email.

Any unscheduled / emergency downtimes will be communicated to the Trading Partners via email within one hour of realizing the downtime. The details of the downtime will be posted to the Provider Web Portal: <http://www.virginiamedicaid.dmas.virginia.gov/>



4.3 Re-Transmission Procedure

If the HTTP Post Reply Message is not received within the 60 second response period, a duplicate transaction should be sent no sooner than 90 seconds after the original attempt was sent.

If no response is received after the second attempt, submit no more than 5 duplicate transactions within the next 15 minutes.

If the additional attempts result in the same timeout termination, contact the Virginia Medicaid EDI Department to determine if system availability problems exist or if there are known internet traffic constraints causing the delay.

Trading Partners should use caution to avoid duplication when resubmitting requests.

When file transmission or technical production issues occur, which could require the re-submission of files, please contact the Virginia Medicaid EDI Department at

Email: Virginia.EDISupport@Conduent.com

Phone: 1-866-352-0766.

Please have the Trading Partner ID information available when calling the Virginia Medicaid EDI Department regarding transmission and production issues.

4.4 Communication Protocol Specifications

HTTPS Protocol

The HTTPS Version 1.1 protocol allows a Trading Partner to utilize the public internet as a transport for transactions. HTTPS provides secure, encrypted communications between client and server systems. HTTPS support a request-response pattern, meaning the client (Trading Partner) submits a message and then waits for a response. Both real-time and batch messages may be transmitted via this protocol; however, the response message is different for each.

The Trading Partner must be an authenticated EDI user. All messages must meet the ASCX12 standard.

Real-time requests must include a single inquiry from the client. The response message from the server is either an error response or the corresponding ASCX12 response.

Batch requests are sent by the client in a similar manner as real-time requests, but may contain multiple inquiries. For batch submissions, the only response from the server will be a standard HTTP message indicating whether the request was accepted or rejected.

Batch responses may be retrieved by the client submitting a message requesting available response files; the server will respond with the most recent batch response file.



Secure FTP

For submitting and retrieving files via Secure FTP Server, Trading Partners will access the Virginia Medicaid VFTS (VAMMIS File Transfer System) at vammis-filetransfer.com. Trading partners may use the separate secured Web site for submission and retrieval of files.

Secure FTP Setup and Support

Secure FTP setup will usually occur during Trading Partner Enrollment. If the Trading Partner wishes to create a Secure FTP account, or requires additional support (i.e. account becomes locked or experiences connectivity issues), the Trading Partner should contact the Virginia Medicaid EDI Department at 1-866-352-0766.

Note: Secure FTP setup is separate from Trading Partner Enrollment, but still coordinated through the Virginia Medicaid EDI Department.

Trading Partners set up for submission and/or retrieval of files via the secure FTP mechanism will receive connectivity details from the Virginia Medicaid EDI Coordinator once setup is complete.

There are two methods for accessing the Secure FTP Server:

1. Point a web browser to <http://vammis-filetransfer.com> and follow the web interface prompts to perform the desired task.
2. Use an SFTP Client application that references the vammis-filetransfer.com domain to perform the desired task.



4.5 Passwords

Log in Credentials: In order to receive authorized user log in credentials all Trading Partners, regardless of submission method, must be enrolled with Virginia Medicaid and approved as Trading Partners. Log in credentials include user names and passwords, that will be required for the submission of transactions to Virginia Medicaid and the retrieval of response transactions or reports.

The following login credentials are issued depending on the chosen communication method.

Secure FTP ID/Password: These are the login credentials for the Secure FTP Server. These allow FTP Trading Partners to access assigned folders for file submission or to retrieve responses.

HTTP ID/Password: These are the login credentials for the HTTP service to allow Trading Partners to utilize services for transaction submission / retrieval. These will be embedded in the headers.

5.0 Contact Information

5.1 EDI Customer Service

The Virginia Medicaid EDI Department assists users with questions about electronic submission. EDI Support is available to all Virginia Medicaid providers Monday through Friday from 8:00 a.m. to 5:00 p.m. Eastern Time at 1-866-352-0766 (not including holidays). The Virginia Medicaid EDI Department performs the following functions:

- Provides information on available services
- Enrolls users for claims submission
- Verifies receipt of electronic transmissions
- Provides technical assistance to users who are experiencing transmission difficulties

5.2 EDI Technical Assistance

Please have the following information available when calling the Virginia Medicaid EDI Department regarding transmission and production issues.

Trading Partner ID: Your Trading Partner ID is our key to accessing your Trading Partner information. Please have this number available each time you contact the Virginia Medicaid EDI Support Unit.

5.3 Provider Service Number

The Virginia Medicaid EDI Department is available to all Virginia Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Eastern Time (not including holidays) at 1-866-352-0766.



5.4 Applicable Websites/E-mails

Please visit <https://www.viriniamedicaid.dmas.virginia.gov/> for Virginia Medicaid provider and Trading Partner services information, including Trading Partner enrollment information, FAQs, manuals and related documentation.

The EDI Department can be contacted by email at Virginia.EDISupport@Conduent.com.

6.0 Control Segments/ Envelopes

6.1 Virginia Medicaid Specific Data

To promote efficient, accurate electronic transaction processing, please note:

- Each user is assigned a four-digit Trading Partner ID.
- Passwords must be a minimum of eight characters and must contain both upper and lower case letters.
- All dates are in the CCYYMMDD format.
- All times must be a minimum of 6-digits (HHMMSS).
- All date/times are in the CCYYMMDDHHMM format.
- The Receiver ID and Payer ID for Virginia Medicaid is VAMMIS FA. Transmissions without this value in the appropriate fields will not be processed.
- The Trading Partner Enrollment Form determines where reports and responses will be delivered.



6.2 ISA-IEA

The Virginia Medicaid EDI process will read the Interchange Control segments to validate the Interchange Envelope of Each ASC X12 file received for processing. The ISA table provides sender and receiver codes, authorization and delimiter information.

Virginia Medicaid EDI requires the following information be present in the ISA:

*Page	Loop	Segment	Data Element	Comments
Interchange Control Header (ISA)				
	Envelope	ISA	1	Please use '00'.
	Envelope	ISA	2	Please use 10 spaces
	Envelope	ISA	3	Please use '00'.
	Envelope	ISA	4	Please use 10 spaces
	Envelope	ISA	5	Please use 'ZZ'.
	Envelope	ISA	6	Please use the 4 digit code assigned by Virginia Medicaid
	Envelope	ISA	7	Please use 'ZZ'.
	Envelope	ISA	8	Please use 'VAMMIS FA'



6.3 GS-GE

Virginia Medicaid EDI permits Trading Partners to submit single or multiple functional groups within an X12 file. The Trading Partner will receive a single X12 999 Implementation Acknowledgment for each submission.

Virginia Medicaid requires the following information be present in the GS.

*Page	Loop	Segment	Data Element	Comments
Functional Group Header (GS)				
	Envelope	GS	2	Please use the 4 digit code assigned by Virginia Medicaid
	Envelope	GS	3	Please use 'VAMMIS FA'

6.4 ST-SE

Virginia Medicaid EDI will require a Unique Transaction Set Control Number in the ST02. The ST02 value should match the SE02 Value.

7.0 Virginia Medicaid Specific Business Rules and Limitations

Many of the data elements detailed in this Companion Guide reflect Virginia business requirements, but still meet the standard requirements in the ASC X12 consolidated Implementation Guide. Inclusion of a “business-required” data field, as defined by this Companion Guide, will aid in the delivery of a positive response from the Virginia MMIS. For more information regarding Virginia specific billing requirements, consult the applicable Virginia Medicaid provider billing manual, which can be downloaded from the Virginia Medicaid Web Portal at: <https://www.virginiamedicaid.dmas.virginia.gov/>

1. 276 Claim Status Requests may be sent at any time; 24 hours a day; 7 days a week outside of the scheduled maintenance window periods.
2. For 276 batch transactions submitted by 9:00 p.m., 277 Response transactions will normally be available for pickup by 6 a.m. the following day.
3. There is no batch processing on Sundays. For batch 276 transactions submitted after 9:00 p.m. on Saturday, 277 Response transactions will not be available for pickup until 6:00 a.m. on Tuesday.
4. The 999 batch Response will normally be available for pickup within 1 hour after a file submission unless there are unforeseen technical difficulties.
5. For any 276 Request that has no claim matches, Virginia Medicaid will return a single 277 Response with a value of "35" in STC01-1 and a value of "A4" in STC01-2.
6. Only the NPI or API will be accepted on the 276 Claim Status Request Transaction or returned on the 277 Claim Status Response Transactions. Claims that match the search criteria and were adjudicated using either the NPI or API of the 276 Request will be returned on the 277 Response.

Note on decimal/amount fields: Even though the X12N transaction defines Amount fields as having an 18-byte maximum, there is an additional HIPAA rule that limits all decimal fields to a maximum of 10 characters, including the two implied or reported decimal places. Accordingly, for all decimal or amount fields:

- “123456789012” is not an acceptable amount, because it is greater than 10 bytes.
- “12345678.90” is acceptable because the number of digits is not greater than 10; the decimal point itself is not limited by the rule.
- However, “1234567890” is not acceptable because the X12N engine assumes that a decimal point and succeeding zeroes are implied so that the actual number being communicated is “1234567890.00”, which is greater than 10 bytes.



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022

- The 10-byte limitation applies to all decimal or amount fields, including AMT segments, but also including any other fields that hold amounts or decimals, such as 837 SV207, CAS03, CAS06, CAS09, CAS12, CAS15, CAS18, HI01-5, HI02-5, HCP02 and HCP03, etc.

For all fields not listed in these bullets, follow the guidelines in the ASC X12 Consolidated Implementation Guides (TR3), available at <http://store.x12.org/store>.

8.0 Acknowledgements and/or Reports

The acceptance/rejection responses pertain to accuracy within EDI transaction format syntax and transaction implementation guide compliance.

A 276 transaction contains two levels of editing. If the transaction fails an edit, the edit level in which the error occurs designates rejection of an entire batch or a single claim.

Real Time Transmissions:

1. Data identification:
 - An error in the header will result in an authentication error message.
 - If authentication is successful the Sender and Receiver IDs in the ISA/GS segments are validated
 - A TA1 (interchange acknowledgement) will be returned for errors in validation at this level.
2. ASC X12N Syntax validation: A determination will be made as to whether the data is ASC X12N compliant.
 - If the data contains errors at the transaction level a 999 (Functional Acknowledgement) will be returned to the submitter. The 999 contains ACCEPT or REJECT information. The segment(s) and element(s) where the error(s) occurred will be reported.
 - If the data passes ASC X12N syntax validation, it will be passed for data transformation and processing.
3. Data Transformation:

The data is transformed and processed by Virginia MMIS and an ASC X12N 277 will be returned.

Batch Transmissions:

1. Acknowledgement Reports:

These reports are posted to the submitter's mailbox on receipt of batch files via FTP.
2. Data identification:

Compliance Error Reports (CER) and Compliance Error in Data (CED) reports will be generated and posted to the submitter's mailbox for batch identification failures.
3. ASC X12N Syntax Validation: A determination will be made as to whether the data is ASC X12N. A 999 (Functional Acknowledgement) will be returned to the submitter. The 999 contains ACCEPT or REJECT information. If the file contained syntactical errors, the segment(s) and element(s) where the error(s) occurred will be reported. If

the data passes ASC X12N syntax validation, it will be passed for data transformation.

4. Data Transformation: The data is transformed and sent to the MMIS. An ASC X12N 277 will be returned for submitter pickup.

8.1 Interchange Level Errors and TA1 Report

Any ASC X12N syntax error that occurs at this level will result in the entire transaction being rejected. These rejections are reported on a TA1 Interchange Acknowledgement.

If the data can be identified, it is then checked for trading partner relationship validation. Once validated, if the trading partner information is invalid, a TA1 report is returned to the submitter.

If the trading partner information is valid, the data is passed for ASC X12N syntax validation.

Example:

The transaction was built with incorrect sender information or incorrect total of groups at the end of the transaction:

```
ISA (contains sender information)  
GS  
ST  
Detailed Segment Information-1  
SE  
ST  
Detailed Segment Information-2  
SE  
ST  
Detailed Segment Information-3  
SE  
GE  
IEA (contains a number total of all functional groups within the batch)
```

For an additional example of this report, please see the ASC X12N Implementation Guide.

8.2 Transaction Set Level Syntax Results and ASC X12N 999 Functional Acknowledgement

This edit is enforced by transaction set level syntax problems for all transactions within each functional group. These edits check the ST and SE level segments and the data content within these segments. These segments consist of the entire detailed information within a transaction. Any X12N syntax error that occurs at this level will result in the entire transaction being rejected. However, if the functional group consists of additional transactions without errors, these will be processed. The rejections are reported on a 999.

For an example of this report, please see the ASC X12N Implementation Guide.



8.3 Acknowledgment Report

On receipt of batch files via FTP an Acknowledgement report is posted in the submitter's mailbox. The report indicates the file size and whether the file submitted contained Test or Production data.

Example:

MCN: XXXXXXXX (The eight-digit MCN assigned to the file)
Submitter: XXXX (The submitter's four-digit ID)
Type: Virginia Medicaid
Prod: P (P = Production; T = Test)
Date: MM/DD/CCYY
Time: 15:05:23
Bytes: 49803 (The number of bytes in the file. Size of file in bytes)
Records: 49803 (Repeat of above. We are not currently counting records)
File Name: The name of the file as it was labeled by the submitter will appear here



8.4 CED and CER Reports

CER and CED reports will be generated and posted to the submitter's mailbox for batch identification failures.

Compliance Error Report for MCN: XXXXXXXX (The eight-digit MCN assigned to the file)
Input filename: XXXX_XXXXXXXXXXXXXXXX.txt (The submitter's four-digit Service Center ID_The name of the file as it was labeled by the submitter)
RunID: 895677 (Unique number assigned by Sybase)
Service Center ID: XXXX (The submitter's four-digit ID)
Run date and time: CCYY-MM-DD 12:50:20

SKIP GOOD TRANSACTIONS flag is ON. This report will only list transactions with compliance errors.

ISA*00* *00* *ZZ*1003 *ZZ*VAMMIS FA
*121112*1549*^*00501*000000256*0*P*|~
GS*HC*1003*VAMMIS FA*20121112*1549*256*X*005010X223A2~

Skipping Transaction Sequence Number: 000008448 - From segment: 3 to: 45

GE*708*256~
IEA*1*000000256~
Error: 1 Segment No. 49 Element: GE01 (7025) - ERROR: GE Control Count Mismatch 708 vs 1

Compliance report Complete: 1 Errors Encountered.

Compliance Error Report for MCN: XXXXXXXX (eight-digit MCN assigned to the file)
Input filename: XXXX_XXXXXXXXXXXXXXXX.txt (The submitter's four-digit Service Center ID_The name of the file as it was labeled by the submitter)
RunID: 895677 (Unique number assigned by Sybase)
Service Center ID: XXXX (The submitter's four-digit ID)
Run date and time: CCYY-MM-DD 12:50:20

Error: 1 Segment No. 92 Element: GE01 (7025) - ERROR: GE Control Count Mismatch 708 vs 1

Compliance report Complete: 1 Errors Encountered.

9.0 Trading Partner Agreements

Prior to engaging in EDI with the Virginia Medicaid MMIS, prospective Trading Partners must complete a Trading Partner Agreement from DMAS MES EDI web portal. The DMAS MES EDI web portal can be accessed from this web page:

<https://login.vamedicaid.dmas.virginia.gov/SecureISS/landingpage>

For initial EDI Enrollment as a Trading partner, complete the Electronic Trading Partner Agreement online. The initial online enrollment can be accessed from this web page: <https://vamedicaid.dmas.virginia.gov/form/edi-enrollment>. After completing the enrollment, you will receive your credentials along with a unique Service Center ID assigned by Virginia Medicaid via email from no-reply@va.healthinteractive.net. The Virginia EDI test coordinator will reach out with Testing Instructions after the approval of the Transactions.

Please follow all enrollment instructions and send any other required documents to complete the enrollment and testing process. The email address is: virginia.edisupport@Conduent.com

9.1 Trading Partners

In simple terms, an EDI Trading Partner is defined as any provider or agent acting on behalf of a provider that transmits electronic transaction data to or receives electronic transaction data from a health plan.

There are two different types of Trading Partners for the Virginia Medicaid:

First, there are Vendors, Billing Agents, Clearinghouses and Switch Vendors who engage in Electronic Data Interchange (EDI) which may include claims and eligibility inquiries on behalf of enrolled Virginia Title XIX providers. These Trading Partners are not enrolled providers, their only interaction with the MMIS is to submit and retrieve electronic data files.

Second, there are providers re-enrolling under the Title XIX Program who use their own software programs to engage in Electronic Data Interchange (EDI) with the Virginia Medicaid.

10.0 Transaction Specific Information – ASC 005010X212

This section contains data clarifications. The clarifications include:

- Identifiers to use when a national standard has not been adopted (and),
- Parameters in the implementation guide that provides options

The following are access methods supported by Virginia Medicaid:

- Access by Medicaid Recipient ID
- Access by Provider ID
- Access by Transaction Control Number (TCN) and/or Medical Record Number

Many of the data elements included in the Companion Guides are business requirements and are not necessarily required per the ASC standard. Inclusion of a “Business-Required” data field, as defined by this Companion Guide, may aid in the delivery of a positive response.

Please limit the number of transactions submitted to 100,000 per day.

***Please Note:** the page numbers listed below in each of the tables represent the corresponding page number in the ASC X12N Implementation Guide for this transaction. If there is no clarification provided in the comments column, please refer to your consolidated ASC X12N 276/277 Implementation Guide for further details.



10.1 276 Claim Status Request – Data Clarifications

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.4	N/A	ISA	ISA01 – Authorization Information Qualifier	00		Use “00”.
C.4	N/A	ISA	ISA03 – Security Information Qualifier	00		Use “00”
C.4	N/A	ISA	ISA05 – Interchange	ZZ		Use “ZZ”.
C.4		ISA	ISA06 - Interchange Sender ID			This is specific to the submitter of the request. This ID is assigned to the submitter by VAMMIS
C.5	N/A	ISA	ISA07 - Interchange ID	ZZ		Use “ZZ”.
C.5	N/A	ISA	ISA08 – Interchange Receiver ID			Use “VAMMIS FA”
C.6	N/A	ISA	ISA14 – Acknowledgment	0		Use “0”
C.6		ISA	ISA16 - Component Element	'>		
C.7	N/A	GS	GS02 – Application Sender’s Code			Use 4-character service center ID assigned by Virginia Medicaid
C.7	N/A	GS	GS03 – Application Receiver’s Code			Use “VAMMIS FA”
41	2100A	NM1	NM103 - Payer Organization Name			Use “Va Dept of Medical Asst Services”. This will be required until the National Health Plan Identifier is active.
42	2100A	NM1	NM109 - Payer Identification Code			Use “546166277”.
113	2100A	PER	Payer Contact Information			Payer Contact Information is not needed by Virginia Medicaid. It is used to distinguish different contact points if the payer has multiple systems.
46	2100B	NM1	NM108 – Receiver Identification Code Qualifier	46		46
46	2100B	NM1	NM109 – Receiver Identification Code			Only Atypical Provider ID or NPI are allowed.



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022

51	2100C	NM1	NM108 - Provider Identification Code Qualifier	SV XX		“SV” – for Atypical Provider ID assigned by Virginia Or ‘XX’
----	-------	-----	--	----------	--	--



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
51	2100C	NM1	NM109 - Payer Identification Code			Only Atypical Provider ID or NPI are allowed.
54	2000D	DMG				This segment is required for Virginia Medicaid because the subscriber is the patient.
56	2100D	NM1	NM101 - Subscriber Identification Code	IL		IL
56	2100D	NM1	NM102 - Subscriber Type	1		Use "1"
57	2100D	NM1	NM108 - Subscriber Identification Code	MI		Use "MI".
57	2100D	NM1	NM109 - Subscriber Identifier			Use the patient's 12-character enrollee ID number assigned by Virginia Medicaid.
58	2200D	TRN	TRN01 – Reference Transaction Trace Number			This segment is required for Virginia Medicaid because the subscriber is the patient.
58	2200D	TRN	TRN02 –Current Transaction Trace Number			The provider's claim number, such as Patient Account Number (If this is supplied do not enter Pharmacy Prescription Number in REF02 as these fields are mutually exclusive...see below)
59	2200D	REF	REF01 – Reference Identification	IK		Use "1K"
59	2200D	REF	REF02 – Reference Identification			Use the 16-character Virginia Medicaid assigned claim number - ICN.
Addenda p.14	2200D	REF		LU		The "LU" Ref segment is not needed by Virginia Medicaid. It is used to show the group the patient belongs to.
64	2200D	REF	REF02-Pharmacy Prescription Number			The RX number (If this is supplied do not enter Current Transaction Trace Number in TRN02 as these fields are mutually exclusive...see above)
66	2200D	AMT	Claim Submitted Charges			This segment is required for Virginia Medicaid because the subscriber is the patient.



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022

67	2200D	DTP	Claim Service Date			This segment is required for Virginia Medicaid because the subscriber is the patient.



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
68-99	All Loops	All Segments	All Data Elements			None of the loops/segments for Dependent are needed for Virginia Medicaid because the subscriber is the patient.



10.2 277 Claim Status Response – Data Clarifications

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.4	N/A	ISA	ISA01 – Authorization	00		“00”.
C.4	N/A	ISA	ISA03 – Security Information Qualifier	00		“00”
C.4	N/A	ISA	ISA05 – Interchange ID	ZZ		“ZZ”.
C.5	N/A	ISA	ISA06 – Interchange Sender ID			“VAMMIS FA”.
C.5	N/A	ISA	ISA07 – Interchange ID	ZZ		“ZZ”.
C.6	N/A	ISA	ISA14 – Acknowledgment	O		“0”
C.6		ISA	ISA16 - Component Element			“>”
C.7	N/A	GS	GS02 – Application Sender’s Code			“VAMMIS FA”.
C.7	N/A	GS	GS03 – Application Receiver’s Code			4-character service center ID assigned by Virginia Medicaid
111	2100A	NM1	NM103 - Payer Organization Name			“Va Dept of Medical Asst Services”.
112	2100A	NM1	NM109 - Payer Identification Code			“546166277”.
113	2100A	PER	Payer Contact Information			Payer Contact Information is not used by Virginia Medicaid. It is used to distinguish different contact points if the payer has multiple systems.
119	2100B	NM1	NM108 – Receiver Identification Code	46		46
119	2100B	NM1	NM109 – Receiver Identification Code			Only Atypical Providers IDs or NPIs are returned on the 277.
128	2100C	NM1	NM108 - Provider Identification Code	SV		“SV” – for Atypical Provider ID assigned by Virginia Medicaid.
128	2100C	NM1	NM109 - Provider Identification Code			Only Atypical Providers IDs or NPIs are returned on the 277.
135	2100D	NM1	NM101 - Subscriber Identification Code	IL		IL
135	2100D	NM1	NM102 - Subscriber Type	1		“1”



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022

136	2100D	NM1	NM108 - Subscriber Identification Code	MI		“MI”.
-----	-------	-----	--	----	--	-------



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
 VERSION 005010 X212

25 January 2022

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
136	2100D	NM1	NM109 – Subscriber Identifier			The patient's 12-character enrollee ID number assigned by Virginia Medicaid.
137	2200D	TRN				This segment is required for Virginia Medicaid because the subscriber is the patient.
137	2200D	TRN	TRN02 – Current Transaction Trace Number			The provider's claim number, such as Patient Account Number
149	2200D	REF	REF01 – Reference Identification	IK		"1K"
149	2200D	REF	REF02 – Reference Identification			The 16-character Virginia Medicaid assigned claim number - ICN.
155	2200D	DTP	Claim Service Date			This segment is required for Virginia Medicaid because the subscriber is the patient.
156-213	All Loops	All Segments	All Data Elements			None of the loops/segments for Dependent are needed for Virginia Medicaid because the subscriber is the patient.

11.0 Appendices

Implementation Checklist

Conduent does not offer an Implementation Checklist for our Trading Partner EDI services with Virginia Medicaid. The Virginia Medicaid EDI Department assists new Trading Partners with enrollment and testing, so a formal implementation checklist is not necessary

Business Scenarios

Please contact the Virginia Medicaid EDI Department to discuss your specific EDI related business needs with Virginia Medicaid, should they not be covered in this guide or other available Virginia Medicaid X12N transaction companion guides

Transmission Examples

Conduent does not offer Transmission Examples for our Trading Partner EDI services with Virginia Medicaid.

Frequently Asked Questions

For current Provider and Trading Partner FAQs, please visit the following site:
<https://www.virginiamedicaid.dmas.virginia.gov/>.

11.1 Change Summary

Version	Date	Description	Description of Changes
1.0	07/13/2011	Original Implementation	
1.1	03/01/2013	Updated to HIPAA Operating Rules standards.	As part of the HIPAA Operating Rules Phase I&II project, this Companion Guide has been updated to comply with the required template. For additional information, please refer to http://www.caqh.org/ORMandate_index.php
1.2	01/31/2022	MES Rebranding	Effective February 14, 2022 in preparation for MMIS Rebranding to MES April 4, 2022. Updated front matter including: Updated Introduction, Trading Partner Registration and updates for MES EDI Portal



Health Care Claim Status Request and Response (276/277)

ASC X12N 276/277
VERSION 005010 X212

25 January 2022
